	A 1: 4: A1	A 1: - (/ )
	Application No.	Applicant(s)
Notice of Allowability	10/766,463	REMBE ET AL.
	Examiner	Art Unit
	Kara E. Geisel	2877
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 09 January 2006.		
2. The allowed claim(s) is/are <u>2-3, 5-9</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
Notice of Neighborson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	e <u>0306</u> .
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	,,	ent of Reasons for Allowance
of Biological Material	9.  Other	

Application/Control Number: 10/766,463

Art Unit: 2877

## **DETAILED ACTION**

## **Drawings**

The drawings filed on January 28th, 2004, have been accepted by the Examiner.

### Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Randy Huis on March 6<sup>th</sup>, 2005.

The application has been amended as follows:

In regards to claim 5, line 19, "or the like" has been deleted so that it will not render the claim indefinite.

The amended claim appears below:

5. Optical assembly to be mounted on a microscope for measuring periodic movements of a microstructure, comprising:

a lower field lens (1) and an upper field lens (2);

an imaging lens system (4) arranged between the two field lenses (1, 2) in a beam path (3) thereof;

a stroboscope lamp (6) including an LED with an aperture angle  $\theta$  and with a phosphor surface having a diameter d, which satisfies the relation:  $d^* \theta < 0.5$ , wherein d is in mm and  $\theta$  is in rad;

a beam splitter (5) arranged between the two field lenses (1, 2) for coupling light pulses of the stroboscope lamp (6) into the beam path (3);

wherein the optical assembly in the region of the lower field lens (1) is adapted to be mounted on a camera mount of the microscope; and

Application/Control Number: 10/766,463

Art Unit: 2877

wherein the field lenses (1, 2) and the imaging lens system (4) are dimensioned and arranged so that the first object image (7) at the camera mount of the microscope is imaged from below the lower field lens (1) to above the upper field lens (2) onto a second object image (8); and

wherein the optical assembly in the region of the upper field lens (2) is configured for mounting a camera (12) or the like to the camera mount of the microscope.

# Examiner's Reasons for Allowance

Claims 2-3, and 5-9 are allowed over the prior art of record for the reasons set forth in the previous Office Action (paper number 92705) and for the reasons set forth in the amendment, filed January 9<sup>th</sup>, 2006, on page 5 (lines 12-17).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kara E Geisel whose telephone number is 571 272 2416. The examiner can normally be reached on Monday through Friday, 8am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on 571 272 2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 571 273 8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-

Art Unit: 2877

direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

HWA (ANDREW) LEE PRIMARY EXAMINER

for:

Gregory J. Toatley, Jr.

SPE

Art Unit 2877

K.G,